



M.I. Number	TTW – ASBESTOS STANDARDS (ALL) – 007
Date Issued:	16 February 2023
Unit Standard: Number, title, version	This moderators' interpretation covers the following unit standards: 29765 – <i>Remove non-friable asbestos</i> – Level 4 – Versions 1 and 2 29766 – <i>Remove friable asbestos</i> – Level 4 – Versions 1 and 2
Issue:	Guidance Information 1 in the current version of unit standards 29765 and 29766 refer to Australian Training Standard CPCCE3014A. Australian Training Standard CPCCE3014A standard has now been superseded. Therefore, the information in Guidance Information 1 is no longer applicable.
Interpretation:	While the information referenced in the standard presently in the Guidance Information can be utilised as a resource, it is no longer applicable as a measure of equivalence from the effective date .
Action Required:	The statement in the guidance information no longer applies relating to equivalence of Australian Training Standard CPCCE3014A. After the effective date, learners will need to enter training to complete the standards without consideration of any prior completed training in Australia. There is no retrospective action on those who have completed training on or before the effective date .
Status	EFFECTIVE 20 February 2023.
Resolution:	Unit standards 29765 and 29766 are currently under review to remove mention of Australian Training Standard CPCCE3014A.
Expiration:	On NZQA approval of revised unit standards.

Authored and authorised by:

Dr James Dearnley – Manager Quality Assurance

16 February 2023